## PART-A

and any that he hadron to the market was about the his	The state of the s	A A
Knowledge and Numerical Ability)	tions No. 1 -10 (English) and Questions No. 11-25 (C	jener
Pick the most appropriate passive transform	of the sentence given below:	
We have to pick the fruit very early in the morni	ng; otherwise we can't get it to the market in time.	
(A) Fruits have to be picked very early otherwise (B) Fruit has to be picked very early otherwise	they can't be got to the market.	
(C) Fruit has to be picked very early otherwise it ca (D) Fruit has to be picked very early otherwise	in the got to the market.	
2. Choose the most appropriate set of verbs for		
He usually (90) by train, but this week	end he (go) by bus. It (take) longer but it	1
(cost) less.	The second secon	22.5
(A) went, was going, took, cost	(B) went, was going, took, costed	-16-
(C) goes, is going, takes, costs	(D) goes, is going, take, cost	×
3. Choose the most appropriate word pair for the	he blanks given below:	
We the lettuce and the carrot.		
(A) tear, peel	(B) shred, dice	
(C) tear, dice	(D) peel, dice	
4. In a formal business letter in British English.	, if the greeting is 'Dear Sir', the ending should be	
(A) Yours	(B) Your's faithfully	
(C) Yours faithfully	(D) Faithfully your	
5. Identify the underlined clause		
Whatever book you like is yours to take.	THE STATE OF THE SALE STATE OF THE SALE OF	
(A) Noun Clause	(2) Relative Clause	
(C) Adverb Clause	(D) Verbless Clause	
	ing sentence mean?	
<ol> <li>What does the underlined word in the follow</li> <li>There is a superb panorama of the mountains fr</li> </ol>	om the hotel.	
	(B) hill	
(A) peak	view	
(C) foot		
7. Choose the most appropriate word from the	choice given below:	
Most of the employees in private institutions_	to their boss' wishes.	
(A) pander	(B) ponder	
(C) pressurise	(D) accept	
. Identify the verb type:		
They made me call the police.		
Present participle	(B) Past participle	
(C) Bare infinitive	(D) Perfect participle	
Select the most suitable synonym for the wor		
(A) heal	(B) regain	
(C) improve	Orobtain	
10. Select the correct word for following sentence		
Mental talents if buried and not used, to deteriorate.		
		105
(A) lead	(D) manage	1800

		at acceptance as a second section	divided by 114 leaves	the compinder as	21. If the same	number is di	the
	11.	A number when remainder will b	divided by 114 leaves			(D) 21	
		(A) 1	(B) 2	(C) 7		ACCOUNT OF THE PERSON OF THE P	
	12	Choose the corre	(B) 2 ect alternative that will	continue the sam	e pattern as 1, 4	(DX 36	
	NT.	1.9.1.40	(13)	11.			
	13.	Three numbers of	ere in the ratio 3:4:5 ar	d their L.C.M ar	e 2400. Their H.	.C.F is	
	1.7	(A) 40	(B) 80	(C)	120	(D) 200	
	4.		owing fraction is the la	rgest?	1/40	(D) 63/80	
	,	7/8	(B) 13/16	(C)	, i, and i	he smallest n	umber among these.
1	5.	The sum of the se	(B) 13/16 quares of three consecu	ative odd number	s is 2531. Find t	(D) 31	
			. (134 37	(1)	4.7		
1	6.	Thirty-six men c	an complete a piece	of work in 18 da	ys. In how man	ny days will	27 men complete the
		(A) 12	(B) 18	(C)	22	NOT 24	
00			(0) 10	- Land Court of the Court of th	Emply in 10 day	vs. To comple	te the same work in 8
E	7.	days men work	king 8 hours per day c	omplete a piece o	I WORK IN TO GA: red is:		
			hours a day, the num			VO) 8	
		(A) 4	(B) 5	(C)		Control of the Contro	of L Lis daughter of
18	3	G is mother of R. Q. Q is son of D.	R is mother of S. S is How is S related to J?	daughter of T.	is brother of J	. J is mother	of La E is daughter of
		(A) Son		(B)	Daughter		
	1	(S) Nephew		(D)	Niece C PNC	42	
19		If in a certain lan	guage, MADRAS is co	oded as NBESBT			that code?
1.7		(A) CPNCBX	Banger,	VAN	CPNCBZ		
		(C) CPOCBZ			CQOCBZ		- 11.0
		No. 6 NOTICE THE STATE OF		de ining	207		10 /200
20			girathi and Alakana	ida join :	Vishnuprayag		A
		(A) Rudraprayag		(D)	Nandaprayag Nandaprayag		>
		(C) Devprayag					
21.	-	The International	Kite Festival is celeb	rated in which o	f the following	States of Indi	a?
	(	A) Gujarat			Tripura		۸
		C) Maharashtra		(D)	Odisha		a via X
22.	,	Which of the follo	wing fruits is known	as ananascomos	uy?	1.8 X 3	8 = 9 x10 X
	(	A) Apple			Pineapple		
		C) Papaya		(D)	Pomegranate		18 XO.T)
23.	ŀ	BIOS in computer	system refers to			0=	18 X0.1)
	(	A) Beginner's Inp	out Office System				100
	(	B) Basic Informat	tion Output System				2 ,0 4
	(	C) Basic Instructi	ons Output System				WHANIS
	1	Basic Input Or	itput System				MXTXIO
24.	٧	Vhich of the follo	wing city is popularly			17 16 1	3×103
	(	A) Kolkata			Mumbai		8 × 10
		/ Delhi		(D)	Hyderabad		
25.	V		ichh Bharat Mission				
	4	2 <sup>nd</sup> October 20	1.4		2 <sup>rd</sup> October 20		
	(1	) 2 <sup>nd</sup> October 20		(D)	2nd October 20	17	


[2]

### PART-B

Instructions: Part-B consists of four sections i.e., Physics, Chemistry, Mathematics and Biology comprising 25 questions each. A candidate must answer Section - I (Physics) and Section - II (Chemistry). From Section - III (Mathematics) and Section - IV (Biology), ONLY one Section either Mathematics (Section - III) or Biology (Section - IV) should be attempted and answered.

## SECTION - I (PHYSICS)

26. A perfectly elastic ball of mass m moving with velocity ii hits a wall of mass M >> m, moving with velocity V in the opposite direction, see figure. After the collision the ball will rebound back with a speed of



(A) u + 2V



(C) u

- 27. Two simple pendula of length L and 4L are pulled aside to the right, and are at rest so that they make an angle  $30^{\circ}$  with the vertical. They are then released simultaneously at time t=0. The time after which they will be in phase is
  - (A)  $\frac{\pi}{2}\sqrt{\frac{L}{g}}$
- (B)  $\pi \sqrt{\frac{L}{g}}$
- $\sqrt{C}$ )  $2\pi \sqrt{\frac{L}{a}}$
- (D)  $4\pi \sqrt{\frac{L}{a}}$
- 28. A cylinder of radius R. length L and density  $\rho$  floats upright in a fluid of density  $\rho_0$ . The cylinder is given a gentle downward push as a result of which there is a vertical displacement of size ir; it is then released; the time period of resulting (undampe(D) oscillations is
  - (A)  $2\pi\sqrt{\frac{\rho_0 L}{\rho g}}$  (B)  $2\pi\sqrt{\frac{\rho g}{\rho_0 L}}$  (C)  $2\pi\sqrt{\frac{\rho L}{\rho_0 g}}$  (D)  $2\pi\sqrt{\frac{\rho_0 g}{\rho a}}$

- 29. Two pith balls, each of mass 1.8 g, are suspended from the same point by silk threads each of length 20 cm. When equal charge Q is given to both the balls, they separate until the two threads become perpendicular. Then the charge Q on each pith ball is

- (A)  $2 \times 10^{-7} \text{ c}$  (B)  $3 \times 10^{-7} \text{ c}$  (C)  $4 \times 10^{-7} \text{ c}$  (D)  $5 \times 10^{-7} \text{ c}$ Note:  $\left[\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ n m}^2/\text{c}^2\right]$ .  $= 43\epsilon_0$  (C)  $4 \times 10^{-7} \text{ c}$   $\Rightarrow \times 10^9 \text{ Note}$
- 30. The force acting on a particle in one dimension is  $F=-\alpha x-2\beta x^3$ . The corresponding potential energy V(x), assuming V(0) = 0 is given by
  - (A)  $V(x) = \alpha x^2 2\beta x^4$

**(B)**  $V(x) = \frac{1}{2}\alpha x^2 + \frac{1}{2}\beta x^4$ 

(C)  $V(x) = \alpha x^2 + 2\beta x^4$ 

- (D)  $V(x) = -\frac{1}{2}\alpha x^2 \frac{1}{2}\beta x^4$
- 31. A Carnot engine operates with a source at a temperature 500 kelvin and sink at 375 kelvin. The engine consumes 600 kilo calories per cycle. The heat rejected per cycle is
  - (A) 250 k cal
- (B) 450 k cal
- (C) 675 k cal
- (D) 800 k cal
- 32. Two electrons are ejected in opposite directions from radioactive atoms in a sample of radioactive material. Let c denot the speed of light. Each electron has a speed of 0.67 c as measured by an observer in the laboratory. Their relative velocity is given by
  - (A) 1.34 c
- (B) 1.19 c
- (C) 0.92 c
- (D) 0.87 c

(A) $0.25 \times 10^{-6} \text{sec}$		(B) 0.3	$3 \times 10^{-6} \; {\rm sec}$	
(C) $3.3 \times 10^{-6}$ sec			$2 \times 10^{-6} { m sec}$	
35. A block of wood floats in its volume submerged. Th	water with 2/3 of its vol e density of oil in units o	lume submerged. In an of $ka/m^3$ is	oil, the same block o	of wood floats with 90% of
(A) 740.74	(B) 535.51	(C) 83	36.59	(D) 924.36
36. For 7.7 Mev alpha particle (A) $2.4 \times 10^{-15}$ m	s scattering from alumin	from (Z=13), the distance (B) $4.9 \times 10^{-15}$ m	nce of closest approa	ch in a head on collision is
(C) $2.4 \times 10^{-14}$ m Useful data		(D) $4.9 \times 10^{-14}$ m		
$\frac{1}{4\pi\epsilon_0} = 8.99 \times 10^9 \text{newton}$	${\sf m}^2{\sf C}^{-2};  e=1.60\times 1$	$0^{-19}$ C; $1eV = 1.60$	× 10 <sup>−19</sup> j.	
37. Hydrogen atom in $n=3$ s state before returning to the	tate has a lifetime of 10	$0^{-10}$ sec. The numbe	r of revolutions an ele	ectron makes in the $n=3$
(A) 2.4 × 10 <sup>5</sup>		(B) 1.2	$2 \times 10^{5}$	
(C) $2.4 \times 10^4$		(D) 1.3	$2 \times 10^{4}$	
Useful data $\frac{1}{4\pi\epsilon_0} = 8.99 \times 10^9 \text{N m}^2 \text{C}^2$	$e = 1.60 \times 10^{-1}$		6.63 × 10 <sup>-34</sup> Js;	$m_c = 9 \times 10^{-31} \text{kg}$
38. If the length of a simple per	ndulum increases by 5%	, then its period shall	increase by	111111111111111111111111111111111111111
(A) 25%	(B) 2.24%	(C)		107 5%
<ol> <li>If a heater coil rated 1 kW, power consumed by the bulb</li> </ol>	220 V is connected in in this circuit is	series with an electric	: bulb of 100 W, 220	0 V and are supplied 200V,
(A) 68.4 W	(B) 45.8 W	(C) 10.6 W	(D) 29.5 V	<b>N</b>
40. A particle of mass 10 mg and of 125 mT. Assuming that t which the particle reaches its	he particle is projected	with its velocity per	a speed of 15 m/s in pendicular to the ma	nto a uniform magnetic field agnetic field, the time after
(A) 14 s	(B) 12 s	(C) 10 s	(D) 8 s	
If the frequency of sound we constant, then the ratio of in				while the amplitude remains
(A) 1:3	B) 3:1	(C) 9:1	(D) 1:9	
<ol> <li>A convex lens with radii of cu are 3/2 and 4/3 respectively,</li> </ol>				ve indices of glass and water
	2.00	(C) $f_1 = f/4$		f
A STATE OF THE STATE OF		[4]		UI-QP-0

33. If the sun radiates energy at the rate of  $3.6 \times 10^{44}$  ergs/sec the rate at which the sun is loosing mass is given by

where c is the velocity of light. The mean life of muons observed in the laboratory frame will be

34. The life time of muon in the rest frame is  $2 \times 10^{-6}$  sec. A beam of muons emerges from a cyclotron with velocity 0.8c,

(B)  $8 \times 10^{34} \text{ gm/sec}$ 


(D)  $7 \times 10^{43}$  gm/sec

(A)  $4 \times 10^{12}$  gm/sec

(C)  $1 \times 10^{23}$  gm/sec

(A)  $0.25 \times 10^{-6} \text{sec}$ 

40.



			-	
43. Three point charges	$\pm 2$ , $\pm 2$ , and $\pm 5~\mu\text{C}$ are plade of the force experienced	ced respectively at the verti by the charge at $C$ is	ices A, B, C of an ec	quilateral triangle of side
0.2 m. The magnitud	de of the force experiences	(B) 2.25	√3 newton	res payor will a si
(C) 4.5 newton		(D) 4.5√	3 newton	
$1/4\pi\epsilon_0=9\times10^9$ newt	on $m^2/C^2$ )	5		
44 A gas occupies a volu	ome of 800 cm <sup>3</sup> at a pressu ture, the volume of the gas	re of 76 cm of mercury. If would now be		ased to 80 cm of mercury
(A) 760 cm <sup>3</sup>	(B) 76 cm <sup>3</sup>	(C) 800 cm <sup>3</sup>	(D) 80 cm <sup>3</sup>	
45. A vessel contains oil (	density 0.8 g/cm <sup>3</sup> ) over me mmersed in mercury and th	ercury (density 13.6 g/cm <sup>3</sup> ) ne other half in oil. The de	. A sphere of homog	geneous composition floats of the sphere in g/cm <sup>3</sup> is
(A) 3.3	(B) 6.4	(C) 7.2	(D) 12.8	
46. Young's modulus for length 800 mm by 1	aluminium is 7× 10 <sup>10</sup> Pa. nm is	The force needed to stret	ch an alumimium w	ire of diameter 2 mm and
(A) 2.75 newton	(B) 275 newton (C)	1.10 newton (D) 275 k	newton	an American
respect to the road is  (A) 20 km/h (B)	unning at $10~{ m km/h}$ and find $10~{ m km/h}$ $({ m C})$ $10~{ m \sqrt{3}}$ red to raise the temperatured to raise the temperature	km/h (D) $10/\sqrt{3}$ km re of 2 mole of an ideal gare of the gas through the s	s at constant pressusame range at const	away. He throws away the speed of the raindrops with are from 30°C to 35°C. The ant volume will be (assume
(A) 30 cal	(B) 50 cal	(C) 70	cal	(D) 90 cal
49. As compared to $^{12}\mathrm{C}$ a	tom, <sup>14</sup> C atom has			
	and two extra electrons			Hamilton and the
two extra protons		La La considera de la Constantina del Constantina de la Constantina del Constantina de la Constantina		to make the difference of the same of the
A STATE OF THE PARTY OF THE PAR	s and no extra electron			
(D) two extra neutron	s and two extra electrons			to set to
50. The half life of a radio.	active nuclide is 20 hrs	The fraction of the origin	al activity that will	remain after 40 hrs is
(A) 1/8	(B) 1/2	(C)	1/4	(D) 1/6
A service of the		nig virace duranti e pise		to sept to delle 12.1

	Charles and the second	SECTION - I	II (CH	EMISTRY)		and the set of
51.	If orbital quantum r quantum number, n.	number (l) has values 0,	1, 2 an	d 3, deduce the co		onding value of principal
	(A) 1	(B) 2	(C)	3	(D)	
52.	The correct order of Lithium (Li) Boron (E	first ionization energy	for the	following clemen	ts, Hy	vdrogen (H), Helium (He)
	(A) H < He < Li < B (C) H < He > Li > B		(D)	H < He > Li < B H > He > Li > B		
53.	Use Molecular Orbital	l theory to determine the l	ond o	der in each of spec	ies,  I	He <sub>2</sub> ] and [He <sub>2</sub> ] <sup>2+</sup> ?
	(A) 1, 2	(B) $0, \frac{1}{2}$			(D)	0, 1
54.	What hybridization sc	heme would be appropria	te for t	he C atom in [CO:	]2-?	
	(A) sp	(B) <i>sp</i> <sup>2</sup>		sp <sup>3</sup>	(D)	pure p orbitals
55.	A metallic ion 'M' rea ammonia. Identify 'M'	ets with chloride ion to f	orm w	hite precipitate wi	nich is	readily soluble in aqueou
	A) Cu <sup>2+</sup>	(B) Ni <sup>2+</sup>	(C)	Co <sup>2</sup>	(D)	Ag⁺
56. Y	What is/are the feature	e/s about microcosmic salt	t is cor	rect?	18	
(	A) Phosphate salt     C) Ammonium salt	And the state	(B)	Found in urine All of the above		
57. <b>C</b>	of the following proper	rties about thiosulphate, v	which o	one is not applicab	le?	
(/	A) Oxidising agent  Y Used in photography	the particular and the	(B)	Reducing agent Complexing agent		
58. ld	entify a mineral for t	he maj <mark>or source of</mark> boron	from	the following list?		
	Borax			Bauxite		
(C	) Cryolite	mark and the same	(D)	Feldspars		
59. W	hich element in Group	p IV can show high cater	ation	property?		
	Silicon			Germanium		
se.	) Lead		(D)	Carbon		
0. Ch	lorination of alkanes	is an example of				
3	Substitution			Elimination		
JOY	Free radical	TOTAL STREET	(D)	Addition		
. Wh		given reaction of prepar	ation	of aldchyde?	4	We a district to the
CH <sub>3</sub>	COCI H <sub>2</sub> Pd/BaSO <sub>4</sub>	CH <sub>3</sub> CHO + HCI				the state of the s
17.	Reimer-Tiemann reac			Cannizzaro react		metric administration of the second
(C)	Reformatsky reaction		(D)	Rosenmund reac	tion	
Read	ction of aqueous sodi	um hydroxide on chloro	benze	ne gives which of	the f	following products?
	o-chlorophenol			p-chlorophenol	20-5-75-336	P P- autor
(C)	phenol			no reaction		
Whic	ch of the following nide?	compounds gives a se	econda	ry alcohol upon	read	ction with methylmagn

60.

61.

62.

63.

(A) Butyl formate (C) 3-pentanone

[6]

(B) Pentanal

(D) Methyl butanoate

UI-Q

	6	4. Which of the following is the definition of chirality?		THE SECOND SECON
		<ul> <li>(A) The superimposability of an object on its mirror in</li> <li>(B) A molecule with a mirror image</li> <li>(C) The non-superimposability of an object on its mirror</li> <li>(D) A molecule that has a carbon atom with four difference</li> </ul>	nage ror ii	mage
	65	5. The Williamson ether synthesis produces ethers by	reac	ting an
				- Descride with a metal
		(C) alkyl halide with a metal	(D)	alkoxide with an alkyl halide
	66	CH <sub>3</sub> -CH <sub>2</sub> -CH=CH-CH <sub>3</sub>		with strong base to give the alkene shown below as
			(B)	2-Chloropentane
		(C) 3-Chloropentane	(D)	1-Chloro-2-methylbutane
	67	The Wittig reaction is a reaction between a carbo known as a phosphoniumylide. What is the expecte (A) Alkanes	:u 111	compound (aldehyde or ketone only) and a specie nal product in the Wittig reaction? Alkenes
		(C) Alkynes		Amines
	72	Comment of the second of the s		
	68.	( ) .	(D)	the second secon
		VAT Zero	(R)	>1
		(C) <1	(طب	
	69.	Colloids can		
		(A) scatter light (B) not scatter light (C) adsorb heat (D) evolve heat		
	70.	The electrochemical cell stops working after some	tim	e because
	70.	<ul> <li>(A) Electrode potential of both the electrodes becom</li> <li>(B) One of electrodes completely vanishes</li> <li>(C) Electrode potential of both electrodes equalizes</li> <li>(D) The reaction reverses its direction</li> </ul>	ies z	ero
	71.	Which out of the following is an intensive propert	y?	
		(A) entropy	(B	) internal energy
ľ	189	(C) density	(D	o) volume
	72.	For the reaction $H_2 + I_2 \rightleftharpoons 2HI$ , the relation between	een	equilibrium constants Kp and Kc is
	1000	(A) Kp / Kc	(E	3) Kp < Kc
		(C) $Kc > Kp$	(I	(b) Kp = Kc
				ent in CO, molecule is
	73.	Total number of vibrational degrees of freedom p		
		(A) 2		3) 3
		(C) 4	(I	0) 5
	74.	A crystal with $a \neq b \neq c$ and $\alpha = \beta = \gamma = 90^{\circ}$ is		
		(A) Tetragonal	(1	B) Trigonal
		(C) Monoclinic	V	Orthorhombic
			(PC	C) system is
	75.	The coordination number for body center cubic (		
		(A) 6	()	B) 8
			1	D) 17


# SECTION - III (MATHEMATICS)


If A is a finite set consisting of a elements, then the number of reflexive relations on A is

	162	0 4
(A)	32	_
1924	$2^{n'-n}$	



77. The function f: N →N, where





- (A) one one
- (C) one one onto

- x = x+2+x >0
- The set of all real numbers x for which  $x^2 |x+2| + x > 0$  holds, is

(A) 
$$(-\infty, -2) \cup (2, \infty)$$

(B) 
$$\left(-\infty, -\sqrt{2}\right) \cup \left(\sqrt{2}, \infty\right)$$

(C) 
$$(-\infty, -1) \cup (1, \infty)$$

(D) 
$$(\sqrt{2}, \infty)$$

79. The n term of the series 2+4+7+11+.... is

(A) 
$$\frac{1}{2}(n^2+n+1)$$
  $\frac{1}{2}$  (++3)

- (C)  $\frac{1}{2}(n^2+2n+2) + (4+6)$
- (D)  $\frac{1}{2}(n^2+3n+2)$  (4+8)
- If the ratio of the H.M. and G.M. between two numbers a and b is 4:5, then a: b is
  - (A) 1:2 or 2:1

(B) 1:3 or 3:1

(C) 1:4 or 4:1

- (D) 2:3 or 3:2
- 81. The sum of the infinite series  $x + \frac{1+2}{2!}x^2 + \frac{1+2+3}{3!}x^3 + \dots$  equals
  - (A)  $\frac{1}{2}x(x+1)e^x$

(B)  $\frac{1}{2}x(x+2)e^x$ 

(C)  $\frac{1}{2}x(2x+1)e^{x}$ 

- obj A = [min k con k ] [con k -ning]

  con k con k

  con k -nink

  con k -nink
- 82. If  $A = \begin{bmatrix} \cos x & \sin x \\ -\sin x & \cos x \end{bmatrix}$ , then  $A^{T}A^{-1}$  is  $\cos 2x - \sin 2x$  $\sin 2x \cos 2x$

- (B)  $\begin{bmatrix} \cos 2x & \sin 2x \\ -\sin 2x & -\cos 2x \end{bmatrix}$  2 Alan con 900
- (D)  $\begin{bmatrix} 1 & -\sin 2x \\ -\sin 2x & 1 \end{bmatrix}$
- 83. The existence of unique solution of the system of linear equations x + y + z = a, 5x y + bz = 10, 2x + 3y z= 6 depends on
  - (A) a only
  - (C) a but not b

- (B) b only (D) a and b both
- 1 + b1

The letters of the together is	word "ATTRACTION"	are written randomly. The	e probability that no two T's appe
1	4	7	II ATTA
UN 15	(B) $\frac{4}{15}$	(C) $\frac{7}{15}$	(D) 11 A TT
If 0 < P(A) < 1, 0 <	P (B) < 1 and P(A \cup B)	P(A) + P(B) - P(A) P(B), t	hen 🕝
(A) $P(B/A) = P(B)$	) – P(A)	at septiment by	30
(B) P ((AUB)) =	$P(A^c) + P(B^c)$		
(C) PI(AUB) =	$P(A^c) P(B^c)$		CIM
(D) $P(A^c \cup B^c) = P(A^c \cup B^c)$	$(A^c) + P(B^c)$		3
If $\alpha$ , $\beta$ are differe	nt values of x satisfying	the equation a cosx + b sin	x = c, where a, b and c are consta
then $\tan\left(\frac{\alpha+\beta}{2}\right)$	ie		, .
then tan ( 2	13		3 3
(A) a + b		(B) b-a	TON BYX
The second secon		(D) b	T 0 2
$\sqrt{cr \frac{a}{b}}$		(b) a	3× K7
If $z + z^{-1} = 1$ , then	$z^{100} + z^{-100}$ is equal to		3×27
(A) -l		(B) 1	150
(C) -i		(D) i	
	. , ]		
and the second	$\frac{\frac{d}{dx} \int_0^{x^2} \sec^2 x  dx}{\frac{d}{dx} (x \sin x)}$ is eq		
The value of lim	dx 10 is eq	ual to	
$x \rightarrow 0$	d (vein v)		
100000	dx		
(A) 0		(B) 1	
(C) 2		(D) 3 ·	
Life Control of the C		THE PARTY OF THE P	2
The value of f(0)	for the function $f(x) = -\frac{1}{2}$	$\frac{1}{x} \left[ \log(1+x) - \log(1-x) \right] t$	to be continuous at $x = 0$ should b
	and the second	4850	
(A) -1		(D) 2	
(C) -2		and another or different periods	
The minimum va	due of $\frac{1}{x}\log x$ in the in	terval [2, ∞] is	
The arminerate	x		
1		(B) $\frac{1}{2}$ e	The state of the s
$(A) = \log 2$		(B) $\frac{1}{2}$	
NH CON Y			- 14 To
$ \begin{array}{c}         (A) \frac{1}{2} \log 2 \\         (C) \frac{1}{2} \end{array} $		(D) minimum v	value does not exist
C			a service on agent baseger first service
CHANGE AND ALL THE	<sub>(</sub> 2π si	$\frac{n^{2n}x}{+\cos^{2n}x} dx \text{ is equal to}$	on the this art leave, all may
If n is a positive	integer, then of nin 2n	+ cos <sup>2n</sup> v	4
	Sin X	1 608 2	
(A) $\frac{\pi}{2}$	(B) π	(C) 4π	(D) $\frac{2}{}$
$(A) \frac{1}{2}$	(D) A	(0) 111	$\pi$
A Part of the second of the se	The same of the same of the	was a few of of Personal	ng of involves place suggested
The solution of the	he differential equation	$\frac{dy}{dx} = 1 + x + y + xy$ , when	y = 0 at $x = -1$ is
Harry Eyer		dx	Value Inc. 1

(B)  $e^{\frac{1}{2}(1+x^2)} - 1$ 

 $(A) e^{\frac{1}{2}\left(1+x^2\right)}$ 

(C)  $e^{\frac{1}{2}(1+x^2)}+1$ 

(D) None of these

- 93. The curve  $x = t^2 + t + 1$ ,  $y = t^2 t + 1$  represents
  - (A) a parabola
  - (C) an ellipse

- (B) a hyperbola
- (D) a rectangular hyperbola
- S and S' are the focii of the ellipse  $\frac{x^2}{a^2} + \frac{y^2}{b^2} 1$ , whose one of the ends of the minor axis is the point B If  $\angle SBS' = 90^{\circ}$ , then the eccentricity of the ellipse is
  - (A)  $\frac{1}{2}$

(B)  $\frac{1}{\sqrt{2}}$ 

(C)  $\frac{1}{2\sqrt{2}}$ 

- (D)  $\frac{1}{2\sqrt{3}}$
- 95. Tangent is drawn to the ellipse  $\frac{x^2}{27} + y^2 = 1$  at the point  $(3\sqrt{3}\cos\theta, \sin\theta)$ ,  $0 < \theta < 1$ . The sum of the intercepts on the axes made by the tangent is minimum if q is equal to
  - (A)  $\frac{\pi}{6}$

(C)  $\frac{\pi}{2}$ 

- (D)  $\frac{3\pi}{4}$
- $\overline{a}$ ,  $\overline{b}$  and  $\overline{c}$  are three vectors such that  $|\overline{a}| = 1$ ,  $|\overline{b}| = 2$  and  $|\overline{c}| = 3$ . Then  $\overline{a}$ .  $\overline{b}$  +  $\overline{b}$ .  $\overline{c}$  +  $\overline{c}$ .  $\overline{a}$  is equal to
  - (A) 2(C) 7

- Let  $\overline{a}, \overline{b}$  and  $\overline{c}$  be three vectors, then  $\overline{a} \times (\overline{b} \times \overline{c}) = (\overline{a} \times \overline{b}) \times \overline{c}$  if
  - (A)  $\overline{b} \times (\overline{a} \times \overline{c}) = \overline{0}$
  - (B)  $b \times c = a \times b$
  - (C)  $\bar{a} \times \bar{c} = \bar{b} \times \bar{c}$
  - (D)  $\vec{a} \times \vec{b} = \vec{c} \times \vec{a}$
- 98. A body of 6 kg rests in limiting equilibrium on an inclined plane whose slope is 30°. If the plane is raised to a slope of 60°, then the force along the plane to support the body is
  - (A)  $\frac{2}{\sqrt{2}}$  kg

(B)  $2\sqrt{3}$  kg

(C)  $\frac{4}{\sqrt{3}}$  kg

- (D)  $4\sqrt{3} \text{ kg}$
- A stone is dropped from the top of a cliff 40 m high and at the same instant another stone is shot vertically up from the foot of the cliff with a velocity 20 m per sec. Both stones meet each other after
  - (A)  $\frac{1}{2}$  sec

(B)  $\frac{3}{2}$  sec

(C) 2 sec

- 100. If the greatest height attained by a projectile be equal to the horizontal range, then the angle of projection
  - (A)  $\tan^{-1}\frac{1}{4}$

(B) tan-14

(C) tan-12

(D)  $\tan^{-1} 2\sqrt{2}$ 

#### SECTION - IV (BIOLOGY) [0]. Double fertilization is a distinctive feature of (A) Gymnosperm (B) Angiosperm (C) Algae (D) Bryophyta 102. Pollination in Ficus plant is dependent on (A) Air (B) Water (C) Insect (D) Bird 103. Name the scientist/s who experimentally demonstrated that "DNA is the genetic material." (A) Frederick Griffith (B) Oswald Avery (C) Hershey and Chase (D) G.N. Ramachandran 104. Which ecosystem has the maximum biomass? (A) Lake ecosystem (B) Pond ecosystem (C) Grassland ecosystem (D) Forest ecosystem 105. If there are 300 bases in an RNA which codes for a protein with 100 amino acids, and a base at position 162 is deleted such that the length of RNA become 299, how many codons will be altered. (A) 47 (B) 48 (C) 99 (D) 300 106. The DNA fragment separated on an agarose gel can be visualized by staining with (A) Bromophenol blue (B) Xylene cyanol (C) Ethidium bromide (D) EDTA 107. Premature fruit and leaf dropping can be minimized by the application of (A) Ethylene (B) Auxin (C) Gibberellic acid (D) Cytokinins 108. What is the water potential of pure water in an open flask? (A) + 1(B) -1 (C) 0 (D) 100 109. Cerebral malaria is caused by (A) Plasmodium vivax (B) Plasmodium falciparum (C) Plasmodium malariae (D) Plasmodium ovale 110. Which species does not release oxygen during photosynthesis? (A) Cycas (B) Nostoc (C) Ficus (D) Heliobacteria

111. Sperms can be stored for several years in liquid nitrogen with a temperature of

(A) -86°C

(B) -20°C

(C) -196°C

(D) -160°C

112. Concentrations of which vitamin increases, while the milk is converted into curd by the process of fermentation

(A) Vitamin A

(B) Vitamin K

(C) Vitamin B

(D) Vitamin C

- 11	3. Marginal placentation is present in	
	(A) Lemon	(B) Tomato
	(C) Pea	(D) Cucumber
- 11	4. On 11th March 2020, the World Heal	th Organisation characterized COVID-19 outbreak as
7	(A) Endemic	(B) Pandemic
	(C) Epidemic	(D) Outbreak
- 11	5. The most significant percentage of in	nmunoglobulin in cow's milk is
	(A) IgA	(B) IgM
	(C) IgG	(D) IgE
11	6. What is the lifespan of RBC in a hea	Ithy human?
	(A) 3 days	(B) 120 days
	(C) 24 hours	(D) 30 days
11	7 Name the correct taxonomic hierarc	hy in the classification of the plant kingdom
11	(A) Phylum-order-genus-Kingdom-fai	
	(B) Phylum-Kingdom-order-class-fam	
	(C) Phylum-order-genus-family-class-	
	(D) Kingdom-Phylum-class-order- far	nily- genus- species
118	Acceptable noise pollution levels in	residential areas of India ranges between
	(A) 10-15 dB	(B) 16-35 dB
	(C) 45-55 dB	(D) 70-90 dB
110	. The secondary cell wall of the plant	is located
113	(A) Outside of the primary wall	
	(B) Inside the primary wall	
,	(C) Inside the plasma membrane	
	(D) Inside the mitochondrial membra-	ne company to the second secon
120	. Homologous organs are	
120	(A) The similar basic structure and di	fferent in function
	(B) Different in basic structure and si	milar in function
93	(C) Similar basic structure with simil	ar function
	(D) Different basic structure with a d	fferent function
121		protozoan parasite transmitted by biting of
121		(B) Wasp
	(A) Mosquito (C) Sand fly	(D) Bee
122.	Which blood cells secrete antibodies	
	(A) Monocytes	(B) Eosinophils
	(C) Lymphocytes	(D) Neutrophils
123.	The lense in the human eye is	
	(A) Concave	(B) Biconcave
	(C) Convex	(D) Biconvex
		toval disease?
124.	Which of the following is called as F	(B) Color blindness
	(A) 21 trisomy	(D) Sickle cell anemia
	(C) Haemophilia	A STATE OF THE PARTY OF THE PAR
125.	In the Hardy-Weinberg equilibrium	equation, the homozygous mutant is represented as
	(A) p <sup>2</sup>	(B) q <sup>2</sup>
	(C) 2pq	(D) pq